L Number	Hits	Search Text	DB	Time stamp
-	16569	ADVANCED adj1 MICRO adj1 DEVICES.as.	USPAT;	2004/10/01 14:03
1		· · · · · · · · · · · · · · · · · · ·	US-PGPUB;	, ==, == =3
			EPO; JPO;	
! !			DERWENT;	
			IBM_TDB	
1.	16569	(aDVANCED adj1 MICRO adj1 DEVICES).as.	USPAT;	2004/10/01 14:03
1			US-PGPUB;	, , , , , , , , , , , , , , , , , , , ,
[ ]			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	1467	(aDVANCED adj1 MICRO adj1 DEVICES).as. and memory\$1	USPAT;	2004/10/01 14:04
1		and port\$1	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	!
		·	IBM_TDB	
-	1467	(ADVANCED adj1 MICRO adj1 DEVICES).as. and memory\$1	USPAT;	2004/10/01 14:04
		and port\$1	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
[ -	586	709/235,244.ccls.	USPAT;	2004/10/01 14:05
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	2847	710/29,52-60.ccls.	USPAT;	2004/10/01 14:05
			US-PGPUB;	
1			EPO; JPO;	
			DERWENT;	
	40==6	/ 154 154 154 154	IBM_TDB	2004/10/04 14:00
-	18579	(generat\$4 creat\$4 assign\$4) near3 (block\$1 cell\$1	USPAT;	2004/10/01 14:08
		packet\$1 message\$1) near3 (tag\$1 id lable\$1	US-PGPUB;	
		identification\$1 sequence\$1 number\$1)	EPO; JPO; DERWENT;	
			IBM_TDB	
	211/0	(charot4) near? (huffert1 memory fife)	USPAT;	2004/10/01 14:12
-	31148	(share\$4) near3 (buffer\$1 memory fifo)	US-PGPUB;	2007/10/01 14.12
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	31872	(share\$4) near3 (buffer\$1 memory fifo queue\$1)	USPAT;	2004/10/01 14:12
	31072	(Sharey 1) hears (buriery)	US-PGPUB;	230 1, 10, 01 1 1.12
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	171323	(tag\$4 identificat\$4 ID lable\$1 sequence\$1 number\$1)	USPAT;	2004/10/01 14:15
	1,1525	near3 (buffer\$1 memory fifo queue\$1)	US-PGPUB;	
		(	EPO; JPO;	
			DERWENT;	
		·	IBM_TDB	
-	25	((aDVANCED adj1 MICRO adj1 DEVICES).as.) and	USPAT;	2004/10/01 14:21
		((generat\$4 creat\$4 assign\$4) near3 (block\$1 cell\$1	US-PGPUB;	
		packet\$1 message\$1) near3 (tag\$1 id lable\$1	EPO; JPO;	
		identification\$1 sequence\$1 number\$1)) and ((share\$4)	DERWENT;	
		near3 (buffer\$1 memory fifo)) and ((share\$4) near3	IBM_TDB	
		(buffer\$1 memory fifo queue\$1)) and ((tag\$4 identificat\$4	_	
		ID lable\$1 sequence\$1 number\$1) near3 (buffer\$1 memory		!
<u> </u>		fifo queue\$1))		

-	81	370/229-240,395.7,395.71,395.72,412,415,416,419,428,429.	dlsPAT;	2004/10/01 15:19
		and ((generat\$4 creat\$4 assign\$4) near3 (block\$1 cell\$1	US-PGPUB;	
		packet\$1 message\$1) near3 (tag\$1 id lable\$1	EPO; JPO;	
		identification\$1 sequence\$1 number\$1)) and ((share\$4)	DERWENT;	
		near3 (buffer\$1 memory fifo)) and ((share\$4) near3	IBM_TDB	
		(buffer\$1 memory fifo queue\$1)) and ((tag\$4 identificat\$4	15(1_155	
		ID lable\$1 sequence\$1 number\$1) near3 (buffer\$1 memory		
	261	filtriqueums1)pointer\$1	USPAT;	2004/10/01 16:13
-	201	handacast Monrei 21		2004/10/01 10.13
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	6	park.in. and pointer\$1 and (share\$4 adj1 memor\$4)	USPAT;	2004/10/01 15:11
1			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	6	parks.in. and pointer\$1 and (share\$4 adj1 memor\$4)	USPAT;	2004/10/01 14:23
			US-PGPUB;	, ,
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	0	park.in. and pointer\$1 and (share\$4 adj1 buffer\$4)	USPAT;	2004/10/01 15:08
-		parkini ana pomocipi ana (snaropi aaji buncipi)	US-PGPUB;	200 1/10/01 13.00
			· ·	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	2004/40/04 45 42
-	65	park.in. and pointer\$1 and (share\$4)	USPAT;	2004/10/01 15:12
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	19375	(shar\$4 same (memor\$4 buffer\$1)).ab.	USPAT;	2004/10/01 15:12
			US-PGPUB;	
			EPO; JPO;	
	1		DERWENT;	
			IBM_TDB	
-	4630	(shar\$4 same (memor\$4 buffer\$1)).ti.	USPAT;	2004/10/01 15:12
		(	US-PGPUB;	, - ,
			EPO; JPO;	
			DERWENT;	
	1		IBM_TDB	
-	2443	(shar\$4 adj1 (memor\$4 buffer\$1)).ti.	USPAT;	2004/10/01 15:12
	2113	(one of the section o	US-PGPUB;	
	1		EPO; JPO;	
	]		DERWENT;	
			IBM_TDB	
	85	((shar\$4 adj1 (memor\$4 buffer\$1)).ti. ) and 370/\$.ccls.	USPAT;	2004/10/01 15:25
-	65	((Sharpe duji (McMorpe bullerpi)).u. ) and 370/p.ccls.		2007/10/01 13.23
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	2004/40/24 1= 11
-	5	((shar\$4 adj1 (memor\$4 buffer\$1)).ti. ) and 370/\$.ccls. and	USPAT;	2004/10/01 15:14
		((generat\$4 creat\$4 assign\$4) near3 (block\$1 cell\$1	US-PGPUB;	
		packet\$1 message\$1) near3 (tag\$1 id lable\$1	EPO; JPO;	
		identification\$1 sequence\$1 number\$1))	DERWENT;	
			IBM_TDB	
-	38	((shar\$4 same (memor\$4 buffer\$1)).ab. ) and 370/\$.ccls.	USPAT;	2004/10/01 15:14
		and ((generat\$4 creat\$4 assign\$4) near3 (block\$1 cell\$1	US-PGPUB;	
		packet\$1 message\$1) near3 (tag\$1 id lable\$1	EPO; JPO;	
		identification\$1 sequence\$1 number\$1))	DERWENT;	
			IBM_TDB	
<b></b>		·		l

-	2	709/235,244.ccls. and ((generat\$4 creat\$4 assign\$4) near3	USPAT;	2004/10/01 15:19
		(block\$1 cell\$1 packet\$1 message\$1) near3 (tag\$1 id	US-PGPUB;	
		lable\$1 identification\$1 sequence\$1 number\$1)) and	EPO; JPO;	
		((share\$4) near3 (buffer\$1 memory fifo)) and ((share\$4)	DERWENT;	
		near3 (buffer\$1 memory fifo queue\$1)) and ((tag\$4	IBM_TDB	
		identificat\$4 ID lable\$1 sequence\$1 number\$1) near3		
		(buffer\$1 memory fifo queue\$1))		
-	25	710/29,52-60.ccls. and ((generat\$4 creat\$4 assign\$4) near3	USPAT;	2004/10/01 15:19
1		(block\$1 cell\$1 packet\$1 message\$1) near3 (tag\$1 id	US-PGPUB;	
		lable\$1 identification\$1 sequence\$1 number\$1)) and	EPO; JPO;	
		((share\$4) near3 (buffer\$1 memory fifo)) and ((share\$4)	DERWENT;	
		near3 (buffer\$1 memory fifo queue\$1)) and ((tag\$4	IBM_TDB	
		identificat\$4 ID lable\$1 sequence\$1 number\$1) near3		
		(buffer\$1 memory fifo queue\$1))	LICDAT	2004/40/04 45-24
-	1	((shar\$4 same (memor\$4 buffer\$1)).ab. ) and	USPAT;	2004/10/01 15:31
		709/235,244.ccls. and ((generat\$4 creat\$4 assign\$4) near3	US-PGPUB;	
		(block\$1 cell\$1 packet\$1 message\$1) near3 (tag\$1 id	EPO; JPO;	
		lable\$1 identification\$1 sequence\$1 number\$1))	DERWENT;	
	2	((shar\$4 same (memor\$4 buffer\$1)).ab. ) and	IBM_TDB USPAT;	2004/10/01 15:31
1	2	((Shar\$4 Same (memor\$4 buner\$1)).ab. ) and 710/29,52-60.ccls. and ((generat\$4 creat\$4 assign\$4) near3	US-PGPUB;	2007/10/01 13.31
		/10/29,52-60.ccis. and ((generals 4 creats 4 assigns 4) hears   (block\$1 cell\$1 packet\$1 message\$1) near3 (tag\$1 id	EPO; JPO;	
		lable\$1 identification\$1 sequence\$1 number\$1)	DERWENT;	
		able of the tented to the sequence of the theory	IBM_TDB	
_	1	((shar\$4 same (memor\$4 buffer\$1)).ab. ) and ((ADVANCED	USPAT;	2004/10/01 15:33
	_	adj1 MICRO adj1 DEVICES).as. and memory\$1 and port\$1)	US-PGPUB;	
		and ((generat\$4 creat\$4 assign\$4) near3 (block\$1 cell\$1	EPO; JPO;	
		packet\$1 message\$1) near3 (tag\$1 id lable\$1	DERWENT;	
		identification\$1 sequence\$1 number\$1))	IBM_TDB	
-	4		USPAT	2004/10/01 15:27
-	1173	711/143,153,171.ccls.	USPAT;	2004/10/01 15:29
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	10	((shar\$4 same (memor\$4 buffer\$1)).ab. ) and	USPAT;	2004/10/01 15:29
		711/143,153,171.ccls. and ((generat\$4 creat\$4 assign\$4)	US-PGPUB;	
		near3 (block\$1 cell\$1 packet\$1 message\$1) near3 (tag\$1 id	EPO; JPO;	
		lable\$1 identification\$1 sequence\$1 number\$1))	DERWENT;	
	5	((charata) near? (huffortt moment fife cucuett)) and	IBM_TDB USPAT;	2004/10/01 15:31
-	] 3	((share\$4) near3 (buffer\$1 memory fifo queue\$1)) and 709/235,244.ccls. and ((generat\$4 creat\$4 assign\$4) near3	US-PGPUB;	2007/10/01 15:31
		(block\$1 cell\$1 packet\$1 message\$1) near3 (tag\$1 id	EPO; JPO;	
		lable\$1 identification\$1 sequence\$1 number\$1))	DERWENT;	
		Idahaya Idahahadaaniya Soquanceya Humberya)	IBM_TDB	
-	27	((share\$4) near3 (buffer\$1 memory fifo queue\$1)) and	USPAT;	2004/10/01 15:32
	-	710/29,52-60.ccls. and ((generat\$4 creat\$4 assign\$4) near3	US-PGPUB;	, , == ======
1.		(block\$1 cell\$1 packet\$1 message\$1) near3 (tag\$1 id	EPO; JPO;	
		lable\$1 identification\$1 sequence\$1 number\$1))	DERWENT;	
			IBM_TDB	
-	17	((share\$4) near3 (buffer\$1 memory fifo queue\$1)) and	USPAT;	2004/10/01 15:36
		((ADVANCED adj1 MICRO adj1 DEVICES).as. and memory\$1	US-PGPUB;	1
		and port\$1) and ((generat\$4 creat\$4 assign\$4) near3	EPO; JPO;	1
		(block\$1 cell\$1 packet\$1 message\$1) near3 (tag\$1 id	DERWENT;	
	_	lable\$1 identification\$1 sequence\$1 number\$1))	IBM_TDB	
-	0	09/847079	USPAT;	2004/10/01 15:36
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
L		<u> </u>	IBM_TDB	L

-	16	((backpressure\$1 feedback\$1 back-pressure\$1 feed-back\$1) and port\$1).ab. and read\$4 and writ\$4 and 370/\$.ccls.	USPAT; US-PGPUB;	2004/10/01 16:05
		With   Part   Part	EPO; JPO;	
			DERWENT;	
]			IBM_TDB	
-	741	(read near3 address\$2) and (write\$1 near3 address\$4) and	USPAT;	2004/10/01 16:06
		(share\$4 near3 buffer\$1)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	564	(read near3 address\$2) and (write\$1 near3 address\$4) and	USPAT;	2004/10/01 16:06
		(share\$4 near3 buffer\$1) and port\$1	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	4.54	( 4 2 - 44 +2) 4 ( 11 +4 2 - 44 +4) 4	IBM_TDB	2004/10/01 16:07
-	161	(read near3 address\$2) and (write\$1 near3 address\$4) and	USPAT;	2004/10/01 16:07
		(share\$4 near3 buffer\$1) and port\$1 and 370/\$.ccls.	US-PGPUB;	
ĺ			EPO; JPO; DERWENT;	
			IBM_TDB	
_	13	(read near3 address\$2 near3 generat\$4) and (write\$1 near3	USPAT;	2004/10/01 16:11
_	13	address\$4 near3 generat\$4) and (share\$4 near3 buffer\$1)	US-PGPUB;	200 1/10/01 10.11
		and port\$1 and 370/\$.ccls.	EPO; JPO;	
!			DERWENT;	
			IBM_TDB	
_	1	(read near3 address\$2 near3 generat\$4) and (write\$1 near3	USPAT;	2004/10/01 16:11
	_	address\$4 near3 generat\$4) and (share\$4 near3 buffer\$1)	US-PGPUB;	, ,
		and port\$1 and 709/\$.ccls.	EPO; JPO;	
1			DERWENT;	
1			IBM_TDB	
-	4	(read near3 address\$2 near3 generat\$4) and (write\$1 near3	USPAT;	2004/10/01 16:12
		address\$4 near3 generat\$4) and (share\$4 near3 buffer\$1)	US-PGPUB;	
		and port\$1 and 710/\$.ccls.	EPO; JPO;	
			DERWENT;	
	_	(	IBM_TDB	2004/10/01 16:12
-	4	(read near3 address\$2 near3 generat\$4) and (write\$1 near3	USPAT;	2004/10/01 16:12
		address\$4 near3 generat\$4) and (share\$4 near3 buffer\$1)	US-PGPUB; EPO; JPO;	
		and port\$1 and 711/\$.ccls.	DERWENT;	
			IBM_TDB	
-	337	park.in. and 370/\$.ccls.	USPAT;	2004/10/01 16:13
		Farmer 21/4/22/27	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	59	park.in. and 370/\$.ccls. and read\$4 and writ\$4	USPAT;	2004/10/01 16:16
	ŀ		US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
ļ	_	1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1	IBM_TDB	2004/40/04 45 45
-	2	parks.in. and 370/\$.ccls. and read\$4 and writ\$4	USPAT;	2004/10/01 16:16
			US-PGPUB;	
			EPO; JPO;	
		·	DERWENT; IBM_TDB	
_	0	"09847079"	USPAT;	2004/10/04 15:40
_		03017073	US-PGPUB;	2001/10/04 13:40
			EPO; JPO;	
			DERWENT;	1
	1		IBM_TDB	
	L	I,		d

	-			
-	0	09/847079	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/10/04 12:23
-	0	09/847,079	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/10/04 12:23
-	2	("6735203").PN.	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/10/04 15:40
-	33	(US-6711165-\$ or US-6457081-\$ or US-6687247-\$ or US-6590901-\$ or US-6493315-\$ or US-5923656-\$ or US-5901147-\$ or US-5862128-\$ or US-5822316-\$ or	IBM_TDB USPAT; US-PGPUB	2004/10/04 16:09
-	13	US-5787071-\$ or US-5612952-\$ or US-5278828-\$ or US-5859849-\$ or US-6426940-\$ or US-6799246-\$ or US-6393532-\$ or US-5313582-\$ or US-6308218-\$ or US-5859837-\$ or US-6760332-\$ or US-6725270-\$ or US-6731601-\$ or US-6201789-\$ or US-6101190-\$ or US-5689500-\$ or US-6507584-\$).did. or (US-6487202-\$ or US-5500851-\$ or US-5799014-\$).did. or (US-20040008714-\$ or US-20010009551-\$).did. (backpress\$4 feedback\$1) and ((US-6711165-\$ or US-6457081-\$ or US-687247-\$ or US-6590901-\$ or US-6493315-\$ or US-5923656-\$ or US-5901147-\$ or US-5862128-\$ or US-5822316-\$ or US-5787071-\$ or US-6426940-\$ or US-6799246-\$ or US-6393532-\$ or US-6313582-\$ or US-6308218-\$ or US-6333532-\$ or US-6760332-\$ or US-6725270-\$ or US-6731601-\$ or US-6201789-\$ or US-6101190-\$ or US-5689500-\$ or US-6507584-\$).did. or (US-20040008714-\$ or US-5799014-\$).did. or (US-20040008714-\$ or US-20020118692-\$ or US-20010014100-\$ or US-20010009551-\$).did.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/04 16:46
-	26 10627	5689500.URPN.  (input near3 (queue\$1 buffer\$1 memeory fifo)) and (output near3 (queue\$1 buffer\$1 memeory fifo)) and (backpressure\$1 back-pressure\$1 feedback\$1)	USPAT USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/10/04 16:39 2004/10/04 16:48
-	4039	370/229-240.ccls.	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/10/04 16:47
-	174	((input near3 (queue\$1 buffer\$1 memeory fifo)) and (output near3 (queue\$1 buffer\$1 memeory fifo)) and (backpressure\$1 back-pressure\$1 feedback\$1)) and 370/229-240.ccls.	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/10/04 16:49
-	112	((input near3 (queue\$1 buffer\$1 memeory fifo)) and (output near3 (queue\$1 buffer\$1 memeory fifo)) and (backpressure\$1 back-pressure\$1 feedback\$1)) and 370/229-240.ccls. and threshold\$1	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/04 16:48

-	1508	(input near3 (queue\$1 buffer\$1 memeory fifo)) same (output near3 (queue\$1 buffer\$1 memeory fifo)) same (backpressure\$1 back-pressure\$1 feedback\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/04 16:48
-	36	370/229-240.ccls. and ((input near3 (queue\$1 buffer\$1 memeory fifo)) same (output near3 (queue\$1 buffer\$1 memeory fifo)) same (backpressure\$1 back-pressure\$1 feedback\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/04 16:49
-	20118	((buffer\$1 memory fifo queue\$1) near3 (fill-level\$1 empt\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/05 09:12
-	18	(US-6799246-\$ or US-6760332-\$ or US-6731601-\$ or US-6725270-\$ or US-6711165-\$ or US-6687247-\$ or US-6590901-\$ or US-6507584-\$ or US-6493315-\$ or US-6487202-\$ or US-6457081-\$ or US-6426940-\$ or US-6393532-\$ or US-6308218-\$ or US-6201789-\$ or US-6101190-\$ or US-5923656-\$ or US-5901147-\$ or US-5862128-\$ or US-5859849-\$ or US-5859837-\$ or US-5822316-\$ or US-5799014-\$ or US-5787071-\$ or US-5689500-\$ or US-5799014-\$ or US-5787071-\$ or US-5689500-\$ or US-5612952-\$).did. or (US-5500851-\$ or US-5313582-\$ or US-5278828-\$ or US-6388993-\$ or US-6144635-\$ or US-6011779-\$ or US-5978359-\$).did. or (US-20040008714-\$ or US-20020118692-\$ or US-20010014100-\$ or US-20010009551-\$).did. (((buffer\$1 memory fifo queue\$1) near3 (fill-level\$1	USPAT; US-PGPUB	2004/10/05 09:12
		empt\$4))) and ((US-6799246-\$ or US-6760332-\$ or US-6731601-\$ or US-6725270-\$ or US-6711165-\$ or US-6687247-\$ or US-6590901-\$ or US-6507584-\$ or US-6493315-\$ or US-6487202-\$ or US-6457081-\$ or US-6426940-\$ or US-6393532-\$ or US-6308218-\$ or US-6201789-\$ or US-6101190-\$ or US-5923656-\$ or US-5901147-\$ or US-5862128-\$ or US-5859849-\$ or US-5859837-\$ or US-5822316-\$ or US-5799014-\$ or US-5787071-\$ or US-5689500-\$ or US-5612952-\$).did. or (US-5500851-\$ or US-5313582-\$ or US-6278828-\$ or US-6388993-\$ or US-6144635-\$ or US-6011779-\$ or US-5978359-\$).did. or (US-20040008714-\$ or US-20020118692-\$ or US-20010014100-\$ or US-20010009551-\$).did.)	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	
-	7262	370/229-240,395.7,395.71,395.72,412,415,416,419,428,429.0	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/05 11:16
-	150	cbr and vbr and abr and (backpressue\$1 (back adj1 pressure) back-pressue feedback (feed adj1 back)) and 370/229-240,395.7,395.71,395.72,412,415,416,419,428,429.0 and atm and (queue\$1 buffer\$1 memor\$4 fifo)	USPAT; US-PGPUB; cdep:0; JPO; DERWENT; IBM_TDB	2004/10/05 11:20
-	66	(queue\$1 buffer\$1 memor\$4 fifo) same (cbr and vbr and abr) and (cbr and vbr and abr and (backpressue\$1 (back adj1 pressure) back-pressue feedback (feed adj1 back)) and 370/229-240,395.7,395.71,395.72,412,415,416,419,428,429.0 and atm and (queue\$1 buffer\$1 memor\$4 fifo))	USPAT; US-PGPUB; EPO; JPO;	2004/10/05 11:20
-	11	(queue\$1 buffer\$1 memor\$4 fifo) near3 (cbr and vbr and abr) and (cbr and vbr and abr and (backpressue\$1 (back adj1 pressure) back-pressue feedback (feed adj1 back)) and 370/229-240,395.7,395.71,395.72,412,415,416,419,428,429.4 and atm and (queue\$1 buffer\$1 memor\$4 fifo))	USPAT; US-PGPUB; EPO; JPO;	2004/10/05 11:20
				<del></del>

Search History 10/5/04 3:24:49 PM Page 6